

# Rabbit anti STAT3 (pS727) Polyclonal Antibody

Alternative Name(s): Signal transducer and activator of transcription 3 (STAT3)

#### Order Information

- Description: STAT3 (pS727)
- Catalogue: 500-12044
- Lot: See label
- Size: 100ug/200ul
- Host: Rabbit
- Clone: nan
- Application: IHC(P), WB, IP
- Reactivity: Hu, Ms, Rt

### **ANTIGEN PREPARATION**

A synthetic peptide surrounding to the epitope -PMSPR-- with phosphorylation sites at Ser727 of STAT3 protein from human, mouse, rat, chicken dog and bovine origins.

### BACKGROUND

STAT proteins (Signal transducer and activator of transcription) belong to a family of cytoplasmic transcription factors that can be phosphorylated by a lignad binding to its cell surface receptor. The phosphorylation of STAT3 induces STAT dimerization, nuclear translocation and DNA binding. Stat3 is constitutively activated in a number of human tumors. Stat3-activated transcription seems to be regulated by serine phosphorylation at Ser727.

### PURIFICATION

The Rabbit IgG is purified by site-modified Epitope Affinity Purification.

### FORMULATION

This affinity purified antibody is supplied in sterile Tris-buffered saline (pH7.2) containing antibody stabilizer

### SPECIFICITY

This antibody recognizes STAT3 (pS727) with a phosphorylated sites of Ser 727. It does not cross-react with non-phosphospecific peptide.

## STORAGE

The antibodies are stable for 24 months from date of receipt when stored at -200C to -700C. The antibodies can be stored at 20C-80C for three month without detectable loss of activity. Avoid repeated freezing-thawing cycles.

#### **APPLICATIONS/SUGGESTED WORKING DILUTIONS\***


- Western Blot: 0.1-1 µg/ml
- ELISA: nan
- Immunoprecipitation: 2-5 µg/ml
- IHC: 2-10 µg/ml
- · Flow cytometry: Not tested
- Molecular Weight: 94.0
- Positive Control: Kidney Tissue
- Cellular Location: Cell Membrane

\*Optimal dilutions should be determined by researchers for the specific applications.

## FOR RESEARCH USE ONLY.

AbboMax, Inc 2528 Qume Drive, Suite 8, San Jose, California 95131, USA 1 408-573-1898 (Tel). 1 408-573-1858 (Fax). www.abbomax.com info@abbomax.com





Western Blot: The whole cell lysate derived from A431 with EGF stimulated was immunoblotted by Rabbit anti STAT3 (pS727) (Cat#500-12044) antibody at 1:500. Observed a major immunoreactive band at molecular weight ~94kDa.

### REFERENCES