

Rabbit anti FGF4 (NT1) Polyclonal Antibody

Alternative Name(s): fibroblast growth factor 4

Order Information

Description: FGF4 (NT1)
Catalogue: 600-910
Lot: See label
Size: 100ug/200ul
Host: Rabbit
Clone: nan

• Application: IHC(P), WB, ELISA

• Reactivity: Hu, Ms, Rt

ANTIGEN PREPARATION

A synthetic peptide EAAVQSGAGDYLLGIK corresponding to the N-terminus of Fibroblast Growth Factor 4 protein. This sequence is identical to human, mouse, rat and bovine.

BACKGROUND

FGF4 is a member of fibroblast growth factor (FGF) family. The FGF family members possess broad mitogenic and cell survival activities and are involved in a variety of biological processes including embryonic development, cell growth, morphogenesis, tissue repair, tumor growth and invasion. This gene was identified by its oncogenic transforming activity. FGF4and FGF3, another oncogenic growth factor, are located closely on chromosome 11. Coamplification of both genes was found in various kinds of human tumors. Studies on the mouse homolog suggested a function in bone morphogenesis and limb development through the sonic hedgehog (SHH) signaling pathway.

PURIFICATION

The Rabbit IgG is purified by Epitope Affinity Purification

FORMULATION

This affinity purified antibody is supplied in sterile Phosphatebuffered saline (pH7.2) containing antibody stabilizer

SPECIFICITY

This antibody recognizes ~~22 kDa of FGF4 protein.

STORAGE

The antibodies are stable for 24 months from date of receipt when stored at –20oC to –70oC. The antibodies can be stored at 2oC-8oC for three month without detectable loss of activity. Avoid repeated freezing-thawing cycles.

APPLICATIONS/SUGGESTED WORKING DILUTIONS*

• Western Blot: 0.1-1 μg/ml

• ELISA: 0.01-0.1 μg/ml

• Immunoprecipitation: 2-5 µg/ml

• IHC: 2-10 µg/ml

• Flow cytometry: Not tested

• Molecular Weight: 22.0

• Positive Control: Kidney Tissue

• Cellular Location: Cell Membrane

^{*}Optimal dilutions should be determined by researchers for the specific applications.



REFERENCES