

# Rat anti CD4 Monoclonal Antibodyt

Alternative Name(s): Rat anti CD4 Monoclonal Antibody

#### Order Information

- Description: CD4
- Catalogue: 603-042
- Lot: See label
- Size: 100ug/200ul
- Host: Rat
- Clone: RM4-5
- Application: IHC(P), FC
- Reactivity: nan

## ANTIGEN PREPARATION

A full length of human CD4 recombinant protein

### BACKGROUND

CD4 is a glycoprotein consisting of up to five polypeptide chains (gp20, gp26, p16, p20, p28). CD3 is required for proper assembly, trafficking and surface expression of TCR complex. CD3 is expressed by thymocytes in a developmentally regulated manner and by all mature T cells. CD3 is involved in T cell activation, proliferation and apoptosis pathway. This protein is present on virtually all peripheral blood T cells and thymocytes. This anti-CD3 antibody is commonly used as a phenotypic marker for human T cells.

## PURIFICATION

The rat IgG is purified by Protein A-Affinity Chromatography according to Isotyping

#### FORMULATION

This affinity purified antibody is supplied in sterile Phosphatebuffered saline (pH7.2) containing antibody stabilizer

## SPECIFICITY

This antibody recognizes human, mouse and bacteria CD4 protein. The other species was not tested.

#### STORAGE

The antibodies are stable for 24 months from date of receipt when stored at -200C to -700C. The antibodies can be stored at 20C-80C for three month without detectable loss of activity. Avoid repeated freezing-thawing cycles.

#### **APPLICATIONS/SUGGESTED WORKING DILUTIONS\***

- Western Blot: 0.1-1 µg/ml
- ELISA: 0.01-0.1 µg/ml
- Immunoprecipitation: 2-5 µg/ml
- IHC: 2-10 µg/ml
- Flow cytometry: 0.5-5 µg/106 cells
- Molecular Weight: 55.0
- Positive Control: Kidney Tissue
- Cellular Location: Cell Membrane

\*Optimal dilutions should be determined by researchers for the specific applications.

## FOR RESEARCH USE ONLY.



REFERENCES