

# Rabbit anti LRRK2(Paired S1124) Polyclonal Antibody

Alternative Name(s): leucine-rich repeat kinase 2

#### **Order Information**

• Description: LRRK2(Paired S1124)

Catalogue: 620-960
Lot: See label
Size: 100ug/200ul
Host: Rabbit
Clone: nan

Application: IHC(P), WB
Reactivity: Hu, Ms, Rt,

#### **ANTIGEN PREPARATION**

leucine S1124)

#### **BACKGROUND**

LRRK2, leucine rich repeat kinase 2, belong to the leucine-rich repeat kinase family and encodes a protein with an ankryin repeat region, a leucine-rich repeat (LRR) domain, a kinase domain, a DFG-like motif, a RAS domain, a GTPase domain, a MLK-like domain, and a WD40 domain. The protein is present largely in the cytoplasm but also associates with the mitochondrial outer membrane. Mutations in this gene have been associated with Parkinson disease-8.

## **PURIFICATION**

The Rabbit IgG is purified by Epitope Affinity Purification

#### **FORMULATION**

This affinity purified antibody is supplied in sterile Phosphatebuffered saline (pH7.2) containing antibody stabilizer

#### **SPECIFICITY**

This antibody recognizes human LRRK2 without the phosphorylation S1124.

#### STORAGE


The antibodies are stable for 24 months from date of receipt when stored at -20oC to -70oC. The antibodies can be stored at 2oC-8oC for three month without detectable loss of activity. Avoid repeated freezing-thawing cycles.

## **APPLICATIONS/SUGGESTED WORKING DILUTIONS\***

- Western Blot: 0.1-1 µg/ml
- ELISA: 0.01-0.1 μg/ml
- Immunoprecipitation: 2-5 µg/ml
- IHC: 2-10 µg/ml
- Flow cytometry: Not tested
- Molecular Weight: 250.0
- Positive Control: Kidney Tissue
- Cellular Location: Cell Membrane

<sup>\*</sup>Optimal dilutions should be determined by researchers for the specific applications.





Western Blot: The whole lysate derived from U118MG (20 ug/lane) immunoblotted by Rabbit anti – pLRRK2 (Paired S1124) (Cat# 620-960) at 1:500. Observed a major immunoreactive band at molecular weight ~250 kDa.

# **REFERENCES**